Permatex, Inc. 10 Columbus Blvd. Hartford, CT 06106 USA Telephone: 1-87-Permatex (877) 376-2839 Emergency: 800-255-3924 (ChemTel) International Emergency: +01-813-248-0585

Material Safety Data Sheet

1. PRODUCT IDENTIFICATION			
Product Name:	ULTRA DISC BRAKE CALIPER LUBE 2 FL.OZ		
Item No:	20353		
Product Type:	Lubricant		

2. COMPOSITION/INFORMATION ON INGREDIENTS					
Component	Weight%	ACGIH; TLV-TWA	OSHA PEL		
SYNTHETIC BASE OILS (TRADE SECRET) _	>90	Not listed	Not listed		

3. HAZARDS IDENTIFICATION

Toxicity:May cause eye and skin irritation.Primary Routes of Entry:Eye and skin contact, ingestion, inhalationSigns and Symptoms of Exposure:Overexposure may cause eye and skin redness.

Medical Conditions Recognized as P Being Aggravated by Exposure:

Preexisting skin disorders.

4. FIRST AID MEASURES	
Ingestion:	If swallowed, DO NOT induce vomiting. Keep individual calm. Obtain medical attention.
Inhalation:	Move to fresh air in case of accidental inhalation of vapours. Get medical attention/advice if you feel unwell.
Skin Contact:	Remove contaminated clothing. Wash area with soap and water. If irritation persists, seek medical attention.
Eye Contact:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

5. FIRE FIGHTING MEASURES

Flash Point °F(C°): Recommended Extinguishing Media: Special Fire-Fighting Procedures: Hazardous Products of Combustion: Unusual Fire/Explosion Hazards: >500°F COC

Carbon Dioxide, Dry Chemicals, Foam. Treat as oil fire. Firefighters should wear self-contained breathing apparatus. Oxides of carbon None.

Lower Explosive Limit: Upper Explosive Limit: Not determined. Not determined.

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures:

Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal.

7. HANDLING AND STORAGE

Storage: Handling: Store away from heat. Avoid contact with skin and eyes. Wash thoroughly after handling. Product may cause surfaces to become slippery.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: Skin: Ventilation: Respiratory Protection: Safety glasses. Neoprene or nitrile gloves recommended. General ventilation is usually adequate. Not normally necessary.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Odor: Boiling Point: pH: Solubility in Water: Specific Gravity: VOC(Wt.%): Vapor Pressure: Vapor Density (Air=1): Evaporation Rate: Green semi-solid Mild Not determined. Does not apply Insoluble 0.89 None Not Determined > 1 (air = 1) <1 (butyl acetate = 1)

10. STABILITY AND REACTIVITY

Chemical Stability: Hazardous Polymerization: Incompatabilities: Conditions to Avoid: Hazardous Products of Combustion: Stable at normal conditions Will not occur Strong oxidizers Welding. Oxides of carbon

11. TOXICOLOGICAL INFORMATION

See Section 3

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended Method of Disposal: Disposal should be made in accordance with federal, state and local regulations. US EPA Waste Number: NH - Not a RCRA Hazardous Waste Material

14. TRANSPORTATION INFORMATION

DOT (49CFR 172) Ground Transport (DOT) DOT Shipping Name: Not regulated Hazard Class: None **UN/ID Number:** None ΙΑΤΑ Not regulated **Proper Shipping Name: Class or Division:** None **UN/ID Number:** None IMDG Not regulated **Proper Shipping:** Hazard Class: None

UN Number: Marine Pollutant:

None

None

15. REGULATORY INFORMATION

SARA 313 Chemicals: The following component(s) is listed as a SARA Section 313 Toxic Chemical.

NONE

California Proposition 65: No California Prop 65 chemicals are known to be present.

TSCA Inventory Status: All components of this product are listed (or exempt) on the EPA TSCA inventory.

16. OTHER INFORMATION

Estimated NFPA Rating:HEALTH 1, FLAMMABILITY 1 REACTIVITY 1.Estimated HMIS Classification:HEALTH 1, FLAMMABILITY 1, PHYSICAL HAZARD 0

NFPA is a registered trademark of the National Fire Protection Assn.

HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared By:	Denise Boyd, Manager-Environmental, Health & Safety	Revision Date: May 11, 2011	
Company:	Permatex. Inc. 10 Columbus Blvd. Hartford, CT USA 06106	Revision	3
Telephone No.:	1-87-Permatex (877) 376-2839	Number:	